

CORRENTE BELLO FENCE REQUIREMENTS

JOB ADDRESS _____


HOMEOWNERS NAME _____

HOMEOWNERS SIGNATURE _____

FENCE COMPANY NAME _____

FENCE CO. SIGNATURE _____

THE ABOVE UNDERSTANDS AND AGREES TO BUILD FENCING AS SPECIFIED BELOW.




NOTE:

- 1) Finish shall be manufacture's black polyester powder coating.
- 2) Concrete post footings: 9" dia. min. x 24" deep concrete footing. 2500 PSI concrete.
- 3) Field welds: all field welds shall be ground smooth and painted to match adjacent surfaces.

① Tube Steel Fence

Scale: 1"=1'-0"

 <p>THE LAND GROUP, INC. • Landscape Architecture • Civil Engineering • Site Planning • Golf Course Irrigation & Engineering • Graphic Communication 405 E. Shore Dr., Suite 201, 62919 Phone (202) 835-4041 Fax (202) 835-4445 www.landgroupinc.com</p>	<p>Corrente-Bello Tube Steel Fence</p>	<p>5-9-06</p> <p>08057</p> <p style="font-size: 2em;">D-1</p>	

DRAWING DIMENSIONS CORRECTED 10-20-2017 IB